

表 1798 腎移植の回数 PTH値(pg/mL)別（透析患者全体）PTH測定法:whole-PTH

PTH値	なし	1回	2回	3回	4回以上	合計	不明	記載なし	総計
20未満	1,574	32	1			1,607	9	278	1,894
(%)	(97.9)	(2.0)	(0.1)			(100.0)			
20～	1,933	28				1,961	10	360	2,331
(%)	(98.6)	(1.4)				(100.0)			
35～	1,706	30				1,736	11	296	2,043
(%)	(98.3)	(1.7)				(100.0)			
50～	2,580	45	1			2,626	4	523	3,153
(%)	(98.2)	(1.7)	(0.0)			(100.0)			
75～	2,215	31				2,246	5	497	2,748
(%)	(98.6)	(1.4)				(100.0)			
100～	1,850	34				1,884	7	407	2,298
(%)	(98.2)	(1.8)				(100.0)			
125～	1,228	25				1,253	4	282	1,539
(%)	(98.0)	(2.0)				(100.0)			
150～	37					37		11	48
(%)	(100.0)					(100.0)			
151～	1,024	17	2			1,043	3	217	1,263
(%)	(98.2)	(1.6)	(0.2)			(100.0)			
180～	716	17	1			734	3	138	875
(%)	(97.5)	(2.3)	(0.1)			(100.0)			
210～	483	11				494	5	129	628
(%)	(97.8)	(2.2)				(100.0)			
240～	527	11				538	4	132	674
(%)	(98.0)	(2.0)				(100.0)			
300～	226	7				233	3	48	284
(%)	(97.0)	(3.0)				(100.0)			
350～	142	4				146		33	179
(%)	(97.3)	(2.7)				(100.0)			
400～	150	11	1			162	2	38	202
(%)	(92.6)	(6.8)	(0.6)			(100.0)			
500～	179	8				187	7	53	247
(%)	(95.7)	(4.3)				(100.0)			
合計	16,570	311	6			16,887	77	3,442	20,406
(%)	(98.1)	(1.8)	(0.0)			(100.0)			
記載なし	152	2				154	1	502	657
(%)	(98.7)	(1.3)				(100.0)			
総計	16,722	313	6			17,041	78	3,944	21,063
(%)	(98.1)	(1.8)	(0.0)			(100.0)			
平均	105.43	139.71	177.00			106.09	159.53	116.26	108.01
標準偏差	106.03	212.65	157.20			109.05	178.71	133.72	114.01

数値下のかっこ内は行方向の合計に対する%です。

(C)Japanese Society for Dialysis Therapy

2014年調査