

表 2186 1セッションあたりの置換液量(L) 総コレステロール濃度(mg/dL)別 (オンラインHDF 透析回数週3回 前希釈)

総コレステロール濃度	1未満	1～	5～	10～	15～	20～	30～	40～	50～	60～	70～	80～	90～	合計	記載なし	総計	平均	標準偏差
100未満		14	15	21	28	126	132	256	48	35	4	2		681	7	688	36.43	14.75
(%)		(2.1)	(2.2)	(3.1)	(4.1)	(18.5)	(19.4)	(37.6)	(7.0)	(5.1)	(0.6)	(0.3)		(100.0)				
100～		43	39	50	36	402	387	787	136	166	41	19	7	2,113	36	2,149	38.39	15.61
(%)		(2.0)	(1.8)	(2.4)	(1.7)	(19.0)	(18.3)	(37.2)	(6.4)	(7.9)	(1.9)	(0.9)	(0.3)	(100.0)				
120～		61	97	103	72	636	747	1,570	285	365	70	34	21	4,061	42	4,103	39.30	15.63
(%)		(1.5)	(2.4)	(2.5)	(1.8)	(15.7)	(18.4)	(38.7)	(7.0)	(9.0)	(1.7)	(0.8)	(0.5)	(100.0)				
140～		72	94	101	93	800	896	1,881	378	465	115	54	27	4,976	58	5,034	40.02	15.77
(%)		(1.4)	(1.9)	(2.0)	(1.9)	(16.1)	(18.0)	(37.8)	(7.6)	(9.3)	(2.3)	(1.1)	(0.5)	(100.0)				
160～		52	85	111	66	680	823	1,644	351	415	88	44	18	4,377	52	4,429	39.98	15.49
(%)		(1.2)	(1.9)	(2.5)	(1.5)	(15.5)	(18.8)	(37.6)	(8.0)	(9.5)	(2.0)	(1.0)	(0.4)	(100.0)				
180～		31	68	72	55	416	520	1,026	254	312	66	33	7	2,860	29	2,889	40.26	15.78
(%)		(1.1)	(2.4)	(2.5)	(1.9)	(14.5)	(18.2)	(35.9)	(8.9)	(10.9)	(2.3)	(1.2)	(0.2)	(100.0)				
200～		17	37	37	28	247	314	552	156	172	45	27	8	1,640	14	1,654	40.81	16.32
(%)		(1.0)	(2.3)	(2.3)	(1.7)	(15.1)	(19.1)	(33.7)	(9.5)	(10.5)	(2.7)	(1.6)	(0.5)	(100.0)				
220～		9	19	17	13	108	120	242	66	58	15	14	5	686	14	700	40.11	16.72
(%)		(1.3)	(2.8)	(2.5)	(1.9)	(15.7)	(17.5)	(35.3)	(9.6)	(8.5)	(2.2)	(2.0)	(0.7)	(100.0)				
240～		5	3	8	3	43	42	118	18	28	5	5	2	280	4	284	40.83	16.08
(%)		(1.8)	(1.1)	(2.9)	(1.1)	(15.4)	(15.0)	(42.1)	(6.4)	(10.0)	(1.8)	(1.8)	(0.7)	(100.0)				
260～		2	7	4	5	21	28	55	9	16	2	4		153	2	155	38.92	16.91
(%)		(1.3)	(4.6)	(2.6)	(3.3)	(13.7)	(18.3)	(35.9)	(5.9)	(10.5)	(1.3)	(2.6)		(100.0)				
合計		306	464	524	399	3,479	4,009	8,131	1,701	2,032	451	236	95	21,827	258	22,085	39.70	15.75
(%)		(1.4)	(2.1)	(2.4)	(1.8)	(15.9)	(18.4)	(37.3)	(7.8)	(9.3)	(2.1)	(1.1)	(0.4)	(100.0)				
記載なし		107	129	189	198	781	1,233	2,213	396	602	97	61	51	6,057	641	6,698	39.80	16.24
(%)		(1.8)	(2.1)	(3.1)	(3.3)	(12.9)	(20.4)	(36.5)	(6.5)	(9.9)	(1.6)	(1.0)	(0.8)	(100.0)				
総計		413	593	713	597	4,260	5,242	10,344	2,097	2,634	548	297	146	27,884	899	28,783	39.73	15.86
(%)		(1.5)	(2.1)	(2.6)	(2.1)	(15.3)	(18.8)	(37.1)	(7.5)	(9.4)	(2.0)	(1.1)	(0.5)	(100.0)				
平均		152.22	160.11	158.22	156.44	156.41	158.10	157.62	161.83	161.58	162.32	167.32	160.97	158.40	157.32	158.39		
標準偏差		36.75	37.72	37.19	39.00	35.66	35.44	35.38	34.94	34.30	33.69	38.10	33.07	35.53	37.58	35.55		

数値下のかっこ内は行方向の合計に対する%です。

(C)Japanese Society for Dialysis Therapy

2014年調査