

表 2494 透析後体重(kg) Non-HDL-C濃度(mg/dL)別（施設血液透析患者 透析回数週3回）

Non-HDL-C濃度	20未満	20～	30～	40～	50～	60～	70～	80～	90～	100～	110～	120～	合計	記載なし	総計	平均	標準偏差
50未満	2	12	203	804	946	486	165	55	15	6	3	1	2,698	18	2,716	54.39	11.82
(%)	(0.1)	(0.4)	(7.5)	(29.8)	(35.1)	(18.0)	(6.1)	(2.0)	(0.6)	(0.2)	(0.1)	(0.0)	(100.0)				
50～	2	31	894	3,363	4,678	2,514	858	331	81	31	11	9	12,803	103	12,906	55.40	11.93
(%)	(0.0)	(0.2)	(7.0)	(26.3)	(36.5)	(19.6)	(6.7)	(2.6)	(0.6)	(0.2)	(0.1)	(0.1)	(100.0)				
70～	7	99	2,206	7,566	9,757	5,826	1,906	647	229	55	29	10	28,337	195	28,532	55.18	12.03
(%)	(0.0)	(0.3)	(7.8)	(26.7)	(34.4)	(20.6)	(6.7)	(2.3)	(0.8)	(0.2)	(0.1)	(0.0)	(100.0)				
90～	13	118	2,812	8,881	10,925	6,750	2,506	861	337	89	37	21	33,350	229	33,579	55.40	12.67
(%)	(0.0)	(0.4)	(8.4)	(26.6)	(32.8)	(20.2)	(7.5)	(2.6)	(1.0)	(0.3)	(0.1)	(0.1)	(100.0)				
110～	19	79	2,331	7,056	8,317	5,295	2,216	752	260	111	49	25	26,510	169	26,679	55.71	13.20
(%)	(0.1)	(0.3)	(8.8)	(26.6)	(31.4)	(20.0)	(8.4)	(2.8)	(1.0)	(0.4)	(0.2)	(0.1)	(100.0)				
130～	2	51	1,376	4,216	4,792	3,275	1,432	555	218	70	24	29	16,040	93	16,133	56.36	13.75
(%)	(0.0)	(0.3)	(8.6)	(26.3)	(29.9)	(20.4)	(8.9)	(3.5)	(1.4)	(0.4)	(0.1)	(0.2)	(100.0)				
150～	2	33	656	2,019	2,311	1,676	795	289	129	56	18	14	7,998	45	8,043	57.10	14.34
(%)	(0.0)	(0.4)	(8.2)	(25.2)	(28.9)	(21.0)	(9.9)	(3.6)	(1.6)	(0.7)	(0.2)	(0.2)	(100.0)				
170～		5	291	846	1,000	730	401	152	78	15	9	9	3,536	31	3,567	57.89	14.66
(%)		(0.1)	(8.2)	(23.9)	(28.3)	(20.6)	(11.3)	(4.3)	(2.2)	(0.4)	(0.3)	(0.3)	(100.0)				
190～		6	110	343	367	257	138	75	20	9	4		1,329	9	1,338	57.38	14.77
(%)		(0.5)	(8.3)	(25.8)	(27.6)	(19.3)	(10.4)	(5.6)	(1.5)	(0.7)	(0.3)		(100.0)				
210～		3	74	226	216	151	86	42	21	3	3	2	827	5	832	57.45	15.54
(%)		(0.4)	(8.9)	(27.3)	(26.1)	(18.3)	(10.4)	(5.1)	(2.5)	(0.4)	(0.4)	(0.2)	(100.0)				
合計	47	437	10,953	35,320	43,309	26,960	10,503	3,759	1,388	445	187	120	133,428	897	134,325	55.71	12.92
(%)	(0.0)	(0.3)	(8.2)	(26.5)	(32.5)	(20.2)	(7.9)	(2.8)	(1.0)	(0.3)	(0.1)	(0.1)	(100.0)				
記載なし	37	365	8,164	24,489	28,800	17,122	6,681	2,322	807	310	112	69	89,278	5,368	94,646	55.05	12.86
(%)	(0.0)	(0.4)	(9.1)	(27.4)	(32.3)	(19.2)	(7.5)	(2.6)	(0.9)	(0.3)	(0.1)	(0.1)	(100.0)				
総計	84	802	19,117	59,809	72,109	44,082	17,184	6,081	2,195	755	299	189	222,706	6,265	228,971	55.45	12.90
(%)	(0.0)	(0.4)	(8.6)	(26.9)	(32.4)	(19.8)	(7.7)	(2.7)	(1.0)	(0.3)	(0.1)	(0.1)	(100.0)				
平均	103.62	106.26	107.88	105.88	104.11	106.68	111.30	113.02	116.57	117.96	118.26	123.09	106.45	104.82	106.43		
標準偏差	26.02	33.63	32.94	33.17	32.71	32.93	34.60	36.28	36.02	35.13	38.49	36.93	33.31	33.37	33.32		

数値下のかっこ内は行方向の合計に対する％です。

(C)Japanese Society for Dialysis Therapy

2014年調査