

表 2890 透析前BUN(mg/dL) 透析前収縮期血圧(mmHg)別（施設血液透析患者 透析回数週3回 透析歴2年以上）

透析前収縮期血圧	20未満	20～	30～	40～	50～	60～	70～	80～	90～	100～	110～	120～	合計	記載なし	総計	平均	標準偏差
60未満			2	7	7	7	2	1					26		26	54.62	12.98
(%)			(7.7)	(26.9)	(26.9)	(26.9)	(7.7)	(3.8)					(100.0)				
60～	5	8	23	49	58	43	21	15	7	2			231	2	233	55.51	17.66
(%)	(2.2)	(3.5)	(10.0)	(21.2)	(25.1)	(18.6)	(9.1)	(6.5)	(3.0)	(0.9)			(100.0)				
80～	13	58	161	340	452	420	250	130	65	15	2	5	1,911	12	1,923	58.54	17.04
(%)	(0.7)	(3.0)	(8.4)	(17.8)	(23.7)	(22.0)	(13.1)	(6.8)	(3.4)	(0.8)	(0.1)	(0.3)	(100.0)				
100～	44	205	723	1,610	2,460	2,406	1,485	676	227	78	23	21	9,958	85	10,043	59.68	15.98
(%)	(0.4)	(2.1)	(7.3)	(16.2)	(24.7)	(24.2)	(14.9)	(6.8)	(2.3)	(0.8)	(0.2)	(0.2)	(100.0)				
120～	103	496	1,892	4,921	7,676	7,769	5,099	2,429	842	219	77	32	31,555	195	31,750	60.79	15.71
(%)	(0.3)	(1.6)	(6.0)	(15.6)	(24.3)	(24.6)	(16.2)	(7.7)	(2.7)	(0.7)	(0.2)	(0.1)	(100.0)				
140～	121	643	2,869	7,578	12,398	12,308	8,283	3,647	1,322	357	91	51	49,668	230	49,898	60.96	15.34
(%)	(0.2)	(1.3)	(5.8)	(15.3)	(25.0)	(24.8)	(16.7)	(7.3)	(2.7)	(0.7)	(0.2)	(0.1)	(100.0)				
160～	89	490	2,154	5,680	9,125	9,032	6,022	2,816	1,016	254	67	36	36,781	161	36,942	60.94	15.42
(%)	(0.2)	(1.3)	(5.9)	(15.4)	(24.8)	(24.6)	(16.4)	(7.7)	(2.8)	(0.7)	(0.2)	(0.1)	(100.0)				
180～	28	174	914	2,212	3,480	3,432	2,240	1,076	417	125	50	14	14,162	56	14,218	60.98	15.77
(%)	(0.2)	(1.2)	(6.5)	(15.6)	(24.6)	(24.2)	(15.8)	(7.6)	(2.9)	(0.9)	(0.4)	(0.1)	(100.0)				
200～	8	58	207	571	878	898	555	275	86	31	14	4	3,585	18	3,603	60.75	15.76
(%)	(0.2)	(1.6)	(5.8)	(15.9)	(24.5)	(25.0)	(15.5)	(7.7)	(2.4)	(0.9)	(0.4)	(0.1)	(100.0)				
220～		11	44	112	165	178	116	62	17	7	2	3	717	6	723	61.41	16.16
(%)		(1.5)	(6.1)	(15.6)	(23.0)	(24.8)	(16.2)	(8.6)	(2.4)	(1.0)	(0.3)	(0.4)	(100.0)				
合計	411	2,143	8,989	23,080	36,699	36,493	24,073	11,127	3,999	1,088	326	166	148,594	765	149,359	60.79	15.57
(%)	(0.3)	(1.4)	(6.0)	(15.5)	(24.7)	(24.6)	(16.2)	(7.5)	(2.7)	(0.7)	(0.2)	(0.1)	(100.0)				
記載なし	68	337	1,369	3,731	5,960	6,150	4,249	2,085	804	260	68	38	25,119	3,731	28,850	61.83	16.01
(%)	(0.3)	(1.3)	(5.5)	(14.9)	(23.7)	(24.5)	(16.9)	(8.3)	(3.2)	(1.0)	(0.3)	(0.2)	(100.0)				
総計	479	2,480	10,358	26,811	42,659	42,643	28,322	13,212	4,803	1,348	394	204	173,713	4,496	178,209	60.94	15.64
(%)	(0.3)	(1.4)	(6.0)	(15.4)	(24.6)	(24.5)	(16.3)	(7.6)	(2.8)	(0.8)	(0.2)	(0.1)	(100.0)				
平均	144.73	148.81	151.21	151.64	152.02	152.02	152.24	152.31	152.36	152.69	154.68	148.69	151.92	147.62	151.90		
標準偏差	26.44	26.36	25.19	24.51	23.97	23.92	23.43	23.96	23.97	25.20	26.17	27.26	24.10	25.73	24.11		

数値下のかっこ内は行方向の合計に対する%です。

(C)Japanese Society for Dialysis Therapy

2014年調査