

表 3227 透析前アルブミン濃度(g/dL) 透析歴(年)別 (透析患者全体)

透析歴	1.5未満	1.5～	2.0～	2.5～	3.0～	3.5～	4.0～	4.5～	5.0～	合計	記載なし	総計	平均	標準偏差
2年未満	89	397	1,430	4,476	14,973	27,127	10,168	628	56	59,344	8,798	68,142	3.54	0.49
(%)	(0.1)	(0.7)	(2.4)	(7.5)	(25.2)	(45.7)	(17.1)	(1.1)	(0.1)	(100.0)				
2年～	36	207	883	3,560	16,216	33,857	13,370	838	39	69,006	8,937	77,943	3.61	0.44
(%)	(0.1)	(0.3)	(1.3)	(5.2)	(23.5)	(49.1)	(19.4)	(1.2)	(0.1)	(100.0)				
5年～	26	195	919	3,633	16,534	34,661	12,919	735	54	69,676	8,186	77,862	3.61	0.43
(%)	(0.0)	(0.3)	(1.3)	(5.2)	(23.7)	(49.7)	(18.5)	(1.1)	(0.1)	(100.0)				
10年～	12	98	400	1,769	8,424	18,235	6,681	351	24	35,994	4,038	40,032	3.61	0.42
(%)	(0.0)	(0.3)	(1.1)	(4.9)	(23.4)	(50.7)	(18.6)	(1.0)	(0.1)	(100.0)				
15年～	8	38	202	891	4,320	9,818	3,605	184	16	19,082	2,131	21,213	3.62	0.42
(%)	(0.0)	(0.2)	(1.1)	(4.7)	(22.6)	(51.5)	(18.9)	(1.0)	(0.1)	(100.0)				
20年～	7	27	89	443	2,406	5,557	2,056	108	8	10,701	1,101	11,802	3.63	0.41
(%)	(0.1)	(0.3)	(0.8)	(4.1)	(22.5)	(51.9)	(19.2)	(1.0)	(0.1)	(100.0)				
25年～	3	12	60	257	1,459	3,112	999	36	5	5,943	608	6,551	3.61	0.40
(%)	(0.1)	(0.2)	(1.0)	(4.3)	(24.5)	(52.4)	(16.8)	(0.6)	(0.1)	(100.0)				
30年～	3	8	41	213	1,035	1,782	483	21	1	3,587	373	3,960	3.55	0.41
(%)	(0.1)	(0.2)	(1.1)	(5.9)	(28.9)	(49.7)	(13.5)	(0.6)	(0.0)	(100.0)				
35年～	1	4	23	154	583	896	182	12		1,855	211	2,066	3.49	0.42
(%)	(0.1)	(0.2)	(1.2)	(8.3)	(31.4)	(48.3)	(9.8)	(0.6)		(100.0)				
40年～		2	12	34	140	167	38	1		394	57	451	3.43	0.45
(%)		(0.5)	(3.0)	(8.6)	(35.5)	(42.4)	(9.6)	(0.3)		(100.0)				
合計	185	988	4,059	15,430	66,090	135,212	50,501	2,914	203	275,582	34,440	310,022	3.60	0.44
(%)	(0.1)	(0.4)	(1.5)	(5.6)	(24.0)	(49.1)	(18.3)	(1.1)	(0.1)	(100.0)				
不明		1	2	6	18	23	7			57	29	86	3.41	0.51
(%)		(1.8)	(3.5)	(10.5)	(31.6)	(40.4)	(12.3)			(100.0)				
記載なし														
(%)														
総計	185	989	4,061	15,436	66,108	135,235	50,508	2,914	203	275,639	34,469	310,108	3.60	0.44
(%)	(0.1)	(0.4)	(1.5)	(5.6)	(24.0)	(49.1)	(18.3)	(1.1)	(0.1)	(100.0)				
平均	4.95	5.25	5.77	6.63	7.39	7.58	7.23	6.67	6.77	7.37	6.68	7.29		
標準偏差	7.43	6.92	7.17	7.65	7.78	7.54	7.09	6.73	6.90	7.52	7.27	7.49		

数値下のかっこ内は行方向の合計に対する%です。

(C)Japanese Society for Dialysis Therapy

2014年調査