

表 3405 透析前補正カルシウム濃度(mg/dL) 透析歴(年)別(血液透析濾過患者 透析回数週3回)

透析歴	7.0未満	7.0～	7.5～	8.0～	8.4～	8.5～	9.0～	9.5～	10.0～	10.1～	10.5～	11.0～	11.5～	12.0～	合計	記載なし	総計	平均	標準偏差
2年未満	25	37	175	514	139	1,547	1,357	633	66	166	66	26	20	6	4,777	187	4,964	8.97	0.71
(%)	(0.5)	(0.8)	(3.7)	(10.8)	(2.9)	(32.4)	(28.4)	(13.3)	(1.4)	(3.5)	(1.4)	(0.5)	(0.4)	(0.1)	(100.0)				
2年～	28	49	168	639	215	2,297	2,624	1,521	144	386	172	64	20	20	8,347	268	8,615	9.12	0.70
(%)	(0.3)	(0.6)	(2.0)	(7.7)	(2.6)	(27.5)	(31.4)	(18.2)	(1.7)	(4.6)	(2.1)	(0.8)	(0.2)	(0.2)	(100.0)				
5年～	46	50	180	643	166	2,244	3,028	2,065	236	683	282	92	38	15	9,768	348	10,116	9.23	0.73
(%)	(0.5)	(0.5)	(1.8)	(6.6)	(1.7)	(23.0)	(31.0)	(21.1)	(2.4)	(7.0)	(2.9)	(0.9)	(0.4)	(0.2)	(100.0)				
10年～	22	29	128	371	108	1,241	1,748	1,317	179	483	250	73	31	10	5,990	204	6,194	9.29	0.76
(%)	(0.4)	(0.5)	(2.1)	(6.2)	(1.8)	(20.7)	(29.2)	(22.0)	(3.0)	(8.1)	(4.2)	(1.2)	(0.5)	(0.2)	(100.0)				
15年～	9	34	97	241	64	802	1,078	839	120	298	154	48	7	3	3,794	130	3,924	9.27	0.75
(%)	(0.2)	(0.9)	(2.6)	(6.4)	(1.7)	(21.1)	(28.4)	(22.1)	(3.2)	(7.9)	(4.1)	(1.3)	(0.2)	(0.1)	(100.0)				
20年～	14	18	85	184	45	535	742	537	62	187	95	28	7	3	2,542	95	2,637	9.21	0.77
(%)	(0.6)	(0.7)	(3.3)	(7.2)	(1.8)	(21.0)	(29.2)	(21.1)	(2.4)	(7.4)	(3.7)	(1.1)	(0.3)	(0.1)	(100.0)				
25年～	9	24	61	126	47	291	471	319	53	107	60	24	4	7	1,603	48	1,651	9.20	0.83
(%)	(0.6)	(1.5)	(3.8)	(7.9)	(2.9)	(18.2)	(29.4)	(19.9)	(3.3)	(6.7)	(3.7)	(1.5)	(0.2)	(0.4)	(100.0)				
30年～	2	12	37	91	18	217	276	231	28	85	53	19	3	4	1,076	47	1,123	9.26	0.81
(%)	(0.2)	(1.1)	(3.4)	(8.5)	(1.7)	(20.2)	(25.7)	(21.5)	(2.6)	(7.9)	(4.9)	(1.8)	(0.3)	(0.4)	(100.0)				
35年～	5	3	14	48	13	109	158	125	12	42	27	9	2	3	570	17	587	9.27	0.83
(%)	(0.9)	(0.5)	(2.5)	(8.4)	(2.3)	(19.1)	(27.7)	(21.9)	(2.1)	(7.4)	(4.7)	(1.6)	(0.4)	(0.5)	(100.0)				
40年～		3	5	10	3	17	31	24	3	13	10				119	5	124	9.27	0.81
(%)		(2.5)	(4.2)	(8.4)	(2.5)	(14.3)	(26.1)	(20.2)	(2.5)	(10.9)	(8.4)				(100.0)				
合計	160	259	950	2,867	818	9,300	11,513	7,611	903	2,450	1,169	383	132	71	38,586	1,349	39,935	9.19	0.75
(%)	(0.4)	(0.7)	(2.5)	(7.4)	(2.1)	(24.1)	(29.8)	(19.7)	(2.3)	(6.3)	(3.0)	(1.0)	(0.3)	(0.2)	(100.0)				
不明			1	1		1	2	1		2	1				9	2	11	9.26	0.98
(%)			(11.1)	(11.1)		(11.1)	(22.2)	(11.1)		(22.2)	(11.1)				(100.0)				
記載なし																			
(%)																			
総計	160	259	951	2,868	818	9,301	11,515	7,612	903	2,452	1,170	383	132	71	38,595	1,351	39,946	9.19	0.75
(%)	(0.4)	(0.7)	(2.5)	(7.4)	(2.1)	(24.1)	(29.8)	(19.7)	(2.3)	(6.4)	(3.0)	(1.0)	(0.3)	(0.2)	(100.0)				
平均	10.05	11.80	10.89	9.53	9.28	8.82	9.75	10.76	11.60	11.61	12.68	12.33	9.42	11.45	10.02	10.10	10.02		
標準偏差	9.23	10.37	9.93	9.33	9.15	8.50	8.66	8.79	8.76	8.90	9.32	9.33	8.16	11.05	8.86	9.02	8.87		

数値下のかっこ内は行方向の合計に対する%です。

(C)Japanese Society for Dialysis Therapy

2014年調査