

表 3442 透析前リン濃度(mg/dL) 透析歴(年)別 (透析患者全体)

透析歴	3未満	3.0～	3.5～	4.0～	4.5～	5.0～	5.5～	6.0～	6.1～	6.5～	7.0～	7.5～	8.0～	8.5～	9.0～	合計	記載なし	総計	平均	標準偏差
2年未満	2,514	3,413	5,922	8,305	9,100	8,757	7,295	1,192	4,122	3,709	2,191	1,419	856	526	775	60,096	8,046	68,142	5.11	1.43
(%)	(4.2)	(5.7)	(9.9)	(13.8)	(15.1)	(14.6)	(12.1)	(2.0)	(6.9)	(6.2)	(3.6)	(2.4)	(1.4)	(0.9)	(1.3)	(100.0)				
2年～	2,831	3,489	6,052	8,892	10,495	10,488	8,908	1,537	5,288	4,489	2,836	1,789	1,017	709	1,142	69,962	7,981	77,943	5.21	1.45
(%)	(4.0)	(5.0)	(8.7)	(12.7)	(15.0)	(15.0)	(12.7)	(2.2)	(7.6)	(6.4)	(4.1)	(2.6)	(1.5)	(1.0)	(1.6)	(100.0)				
5年～	2,812	3,237	5,551	8,351	10,438	10,714	9,492	1,607	5,538	4,904	3,137	1,822	1,092	681	1,189	70,565	7,297	77,862	5.27	1.45
(%)	(4.0)	(4.6)	(7.9)	(11.8)	(14.8)	(15.2)	(13.5)	(2.3)	(7.8)	(6.9)	(4.4)	(2.6)	(1.5)	(1.0)	(1.7)	(100.0)				
10年～	1,322	1,611	2,802	4,350	5,410	5,767	5,056	911	2,846	2,450	1,504	937	601	354	526	36,447	3,585	40,032	5.27	1.41
(%)	(3.6)	(4.4)	(7.7)	(11.9)	(14.8)	(15.8)	(13.9)	(2.5)	(7.8)	(6.7)	(4.1)	(2.6)	(1.6)	(1.0)	(1.4)	(100.0)				
15年～	611	805	1,543	2,424	2,900	3,202	2,727	448	1,480	1,350	816	454	259	157	239	19,415	1,798	21,213	5.25	1.36
(%)	(3.1)	(4.1)	(7.9)	(12.5)	(14.9)	(16.5)	(14.0)	(2.3)	(7.6)	(7.0)	(4.2)	(2.3)	(1.3)	(0.8)	(1.2)	(100.0)				
20年～	356	449	880	1,382	1,714	1,783	1,512	252	914	696	419	215	113	69	119	10,873	929	11,802	5.20	1.32
(%)	(3.3)	(4.1)	(8.1)	(12.7)	(15.8)	(16.4)	(13.9)	(2.3)	(8.4)	(6.4)	(3.9)	(2.0)	(1.0)	(0.6)	(1.1)	(100.0)				
25年～	177	296	470	774	1,008	992	881	150	493	365	175	105	55	39	53	6,033	518	6,551	5.16	1.29
(%)	(2.9)	(4.9)	(7.8)	(12.8)	(16.7)	(16.4)	(14.6)	(2.5)	(8.2)	(6.1)	(2.9)	(1.7)	(0.9)	(0.6)	(0.9)	(100.0)				
30年～	147	172	270	487	610	608	517	90	269	195	130	77	40	23	22	3,657	303	3,960	5.12	1.28
(%)	(4.0)	(4.7)	(7.4)	(13.3)	(16.7)	(16.6)	(14.1)	(2.5)	(7.4)	(5.3)	(3.6)	(2.1)	(1.1)	(0.6)	(0.6)	(100.0)				
35年～	92	86	156	255	315	332	243	58	132	96	58	30	20	12	11	1,896	170	2,066	5.06	1.28
(%)	(4.9)	(4.5)	(8.2)	(13.4)	(16.6)	(17.5)	(12.8)	(3.1)	(7.0)	(5.1)	(3.1)	(1.6)	(1.1)	(0.6)	(0.6)	(100.0)				
40年～	20	22	31	56	63	67	67	13	27	19	8	8		1		402	49	451	4.97	1.19
(%)	(5.0)	(5.5)	(7.7)	(13.9)	(15.7)	(16.7)	(16.7)	(3.2)	(6.7)	(4.7)	(2.0)	(2.0)		(0.2)		(100.0)				
合計	10,882	13,580	23,677	35,276	42,053	42,710	36,698	6,258	21,109	18,273	11,274	6,856	4,053	2,571	4,076	279,346	30,676	310,022	5.21	1.43
(%)	(3.9)	(4.9)	(8.5)	(12.6)	(15.1)	(15.3)	(13.1)	(2.2)	(7.6)	(6.5)	(4.0)	(2.5)	(1.5)	(0.9)	(1.5)	(100.0)				
不明	4	2	5	6	6	8	7	3		5	3	2		1	1	53	33	86	5.18	1.60
(%)	(7.5)	(3.8)	(9.4)	(11.3)	(11.3)	(15.1)	(13.2)	(5.7)		(9.4)	(5.7)	(3.8)		(1.9)	(1.9)	(100.0)				
記載なし																				
(%)																				
総計	10,886	13,582	23,682	35,282	42,059	42,718	36,705	6,261	21,109	18,278	11,277	6,858	4,053	2,572	4,077	279,399	30,709	310,108	5.21	1.43
(%)	(3.9)	(4.9)	(8.5)	(12.6)	(15.1)	(15.3)	(13.1)	(2.2)	(7.6)	(6.5)	(4.0)	(2.5)	(1.5)	(0.9)	(1.5)	(100.0)				
平均	6.92	6.85	6.91	7.23	7.50	7.68	7.72	7.86	7.61	7.37	7.30	7.03	6.92	6.77	6.59	7.38	6.51	7.29		
標準偏差	7.39	7.45	7.44	7.65	7.71	7.71	7.64	7.78	7.52	7.23	7.08	6.96	6.73	6.71	6.24	7.53	7.14	7.49		

数値下のかっこ内は行方向の合計に対する%です。

(C)Japanese Society for Dialysis Therapy

2014年調査