

表 3631 透析前ヘモグロビン濃度(g/dL) 総コレステロール濃度(mg/dL)別（施設血液透析患者 透析回数週3回）

総コレステロール濃度	5未満	5～	6～	7～	8～	9～	10～	11～	12～	13～	14～	合計	記載なし	総計	平均	標準偏差
100未満	14	27	104	297	689	1,330	1,960	1,388	452	113	48	6,422	32	6,454	10.23	1.48
(%)	(0.2)	(0.4)	(1.6)	(4.6)	(10.7)	(20.7)	(30.5)	(21.6)	(7.0)	(1.8)	(0.7)	(100.0)				
100～	13	49	119	519	1,344	3,487	6,321	4,566	1,604	381	124	18,527	93	18,620	10.50	1.33
(%)	(0.1)	(0.3)	(0.6)	(2.8)	(7.3)	(18.8)	(34.1)	(24.6)	(8.7)	(2.1)	(0.7)	(100.0)				
120～	23	54	152	590	1,934	6,068	11,788	9,294	3,227	755	282	34,167	148	34,315	10.64	1.27
(%)	(0.1)	(0.2)	(0.4)	(1.7)	(5.7)	(17.8)	(34.5)	(27.2)	(9.4)	(2.2)	(0.8)	(100.0)				
140～	19	60	116	503	1,825	6,227	13,530	11,075	3,992	989	325	38,661	165	38,826	10.74	1.23
(%)	(0.0)	(0.2)	(0.3)	(1.3)	(4.7)	(16.1)	(35.0)	(28.6)	(10.3)	(2.6)	(0.8)	(100.0)				
160～	28	29	69	311	1,288	4,809	10,961	9,312	3,439	881	293	31,420	163	31,583	10.81	1.21
(%)	(0.1)	(0.1)	(0.2)	(1.0)	(4.1)	(15.3)	(34.9)	(29.6)	(10.9)	(2.8)	(0.9)	(100.0)				
180～	10	25	34	180	699	2,831	6,796	5,879	2,251	603	209	19,517	102	19,619	10.86	1.21
(%)	(0.1)	(0.1)	(0.2)	(0.9)	(3.6)	(14.5)	(34.8)	(30.1)	(11.5)	(3.1)	(1.1)	(100.0)				
200～	6	5	22	70	361	1,486	3,377	3,141	1,221	336	128	10,153	56	10,209	10.90	1.21
(%)	(0.1)	(0.0)	(0.2)	(0.7)	(3.6)	(14.6)	(33.3)	(30.9)	(12.0)	(3.3)	(1.3)	(100.0)				
220～	2	2	10	35	141	639	1,457	1,356	570	168	73	4,453	22	4,475	10.94	1.24
(%)	(0.0)	(0.0)	(0.2)	(0.8)	(3.2)	(14.3)	(32.7)	(30.5)	(12.8)	(3.8)	(1.6)	(100.0)				
240～		2	5	19	61	247	540	543	203	78	21	1,719	14	1,733	10.93	1.27
(%)		(0.1)	(0.3)	(1.1)	(3.5)	(14.4)	(31.4)	(31.6)	(11.8)	(4.5)	(1.2)	(100.0)				
260～	1	1	4	8	52	171	344	310	153	51	11	1,106	5	1,111	10.89	1.29
(%)	(0.1)	(0.1)	(0.4)	(0.7)	(4.7)	(15.5)	(31.1)	(28.0)	(13.8)	(4.6)	(1.0)	(100.0)				
合計	116	254	635	2,532	8,394	27,295	57,074	46,864	17,112	4,355	1,514	166,145	800	166,945	10.72	1.26
(%)	(0.1)	(0.2)	(0.4)	(1.5)	(5.1)	(16.4)	(34.4)	(28.2)	(10.3)	(2.6)	(0.9)	(100.0)				
記載なし	145	108	307	1,046	3,332	9,743	18,143	14,615	5,258	1,182	419	54,298	7,728	62,026	10.60	1.32
(%)	(0.3)	(0.2)	(0.6)	(1.9)	(6.1)	(17.9)	(33.4)	(26.9)	(9.7)	(2.2)	(0.8)	(100.0)				
総計	261	362	942	3,578	11,726	37,038	75,217	61,479	22,370	5,537	1,933	220,443	8,528	228,971	10.69	1.28
(%)	(0.1)	(0.2)	(0.4)	(1.6)	(5.3)	(16.8)	(34.1)	(27.9)	(10.1)	(2.5)	(0.9)	(100.0)				
平均	146.39	139.08	135.97	138.41	145.05	151.35	154.77	157.15	158.91	161.68	161.33	154.70	157.00	154.71		
標準偏差	40.23	34.96	38.40	35.85	36.13	35.28	34.51	34.75	35.48	37.34	36.94	35.28	36.45	35.28		

数値下のカッコ内は行方向の合計に対する%です。

(C)Japanese Society for Dialysis Therapy

2014年調査