

表 3696 総コレステロール濃度(mg/dL) 透析前脈拍(拍/分)別(血液透析濾過患者 透析回数週3回)

透析前脈拍	100未満	100～	120～	140～	160～	180～	200～	220～	240～	260～	合計	記載なし	総計	平均	標準偏差
40未満		2	2	4	2	2	2				14	3	17	156.93	29.58
(%)		(14.3)	(14.3)	(28.6)	(14.3)	(14.3)	(14.3)				(100.0)				
40～	15	32	51	48	46	30	10	3	2		237	58	295	148.68	34.26
(%)	(6.3)	(13.5)	(21.5)	(20.3)	(19.4)	(12.7)	(4.2)	(1.3)	(0.8)		(100.0)				
50～	95	281	499	484	393	237	126	52	24	11	2,202	430	2,632	152.41	35.16
(%)	(4.3)	(12.8)	(22.7)	(22.0)	(17.8)	(10.8)	(5.7)	(2.4)	(1.1)	(0.5)	(100.0)				
60～	252	711	1,409	1,666	1,386	910	475	208	69	49	7,135	1,355	8,490	156.57	34.95
(%)	(3.5)	(10.0)	(19.7)	(23.3)	(19.4)	(12.8)	(6.7)	(2.9)	(1.0)	(0.7)	(100.0)				
70～	275	839	1,606	2,040	1,768	1,094	673	266	116	61	8,738	1,807	10,545	158.37	35.50
(%)	(3.1)	(9.6)	(18.4)	(23.3)	(20.2)	(12.5)	(7.7)	(3.0)	(1.3)	(0.7)	(100.0)				
80～	171	535	1,032	1,326	1,209	775	483	223	87	49	5,890	1,173	7,063	160.32	36.34
(%)	(2.9)	(9.1)	(17.5)	(22.5)	(20.5)	(13.2)	(8.2)	(3.8)	(1.5)	(0.8)	(100.0)				
90～	81	275	507	583	529	375	238	97	35	26	2,746	547	3,293	159.85	37.21
(%)	(2.9)	(10.0)	(18.5)	(21.2)	(19.3)	(13.7)	(8.7)	(3.5)	(1.3)	(0.9)	(100.0)				
100～	31	78	124	205	150	133	65	34	15	7	842	200	1,042	160.66	36.88
(%)	(3.7)	(9.3)	(14.7)	(24.3)	(17.8)	(15.8)	(7.7)	(4.0)	(1.8)	(0.8)	(100.0)				
110～	7	21	30	48	43	27	18	6	2	1	203	58	261	159.23	33.80
(%)	(3.4)	(10.3)	(14.8)	(23.6)	(21.2)	(13.3)	(8.9)	(3.0)	(1.0)	(0.5)	(100.0)				
120～	2	11	14	16	5	6	8	2		1	65	41	106	153.89	42.38
(%)	(3.1)	(16.9)	(21.5)	(24.6)	(7.7)	(9.2)	(12.3)	(3.1)		(1.5)	(100.0)				
合計	929	2,785	5,274	6,420	5,531	3,589	2,098	891	350	205	28,072	5,672	33,744	157.98	35.79
(%)	(3.3)	(9.9)	(18.8)	(22.9)	(19.7)	(12.8)	(7.5)	(3.2)	(1.2)	(0.7)	(100.0)				
記載なし	63	203	420	485	480	284	155	65	34	11	2,200	4,002	6,202	158.31	34.47
(%)	(2.9)	(9.2)	(19.1)	(22.0)	(21.8)	(12.9)	(7.0)	(3.0)	(1.5)	(0.5)	(100.0)				
総計	992	2,988	5,694	6,905	6,011	3,873	2,253	956	384	216	30,272	9,674	39,946	158.00	35.70
(%)	(3.3)	(9.9)	(18.8)	(22.8)	(19.9)	(12.8)	(7.4)	(3.2)	(1.3)	(0.7)	(100.0)				
平均	74.13	74.55	74.38	75.26	75.42	75.96	76.79	77.08	76.84	77.20	75.31	75.99	75.43		
標準偏差	13.31	13.31	12.77	12.82	12.38	12.90	12.62	12.38	12.37	12.63	12.79	13.61	12.93		

数値下のかっこ内は行方向の合計に対する%です。

(C)Japanese Society for Dialysis Therapy

2014年調査