

表 3712 HDL-C濃度(mg/dL) 年齢(歳)別 (透析患者全体)

年齢	20未満	20～	30～	40～	50～	60～	70～	80～	90～	100～	合計	記載なし	総計	平均	標準偏差
15歳未満	2	2	3	5	4	2	3				21	96	117	46.86	18.02
(%)	(9.5)	(9.5)	(14.3)	(23.8)	(19.0)	(9.5)	(14.3)				(100.0)				
15歳～		27	136	144	133	88	43	24	8	8	611	426	1,037	51.71	16.93
(%)		(4.4)	(22.3)	(23.6)	(21.8)	(14.4)	(7.0)	(3.9)	(1.3)	(1.3)	(100.0)				
30歳～	27	714	2,026	2,228	1,801	1,192	632	355	139	125	9,239	5,146	14,385	50.46	17.61
(%)	(0.3)	(7.7)	(21.9)	(24.1)	(19.5)	(12.9)	(6.8)	(3.8)	(1.5)	(1.4)	(100.0)				
45歳～	113	2,920	8,101	8,736	6,823	4,467	2,419	1,290	661	580	36,110	20,458	56,568	50.43	18.25
(%)	(0.3)	(8.1)	(22.4)	(24.2)	(18.9)	(12.4)	(6.7)	(3.6)	(1.8)	(1.6)	(100.0)				
60歳～	369	7,160	20,912	23,440	17,248	10,350	5,176	2,458	1,098	919	89,130	52,848	141,978	48.88	16.75
(%)	(0.4)	(8.0)	(23.5)	(26.3)	(19.4)	(11.6)	(5.8)	(2.8)	(1.2)	(1.0)	(100.0)				
75歳～	261	4,618	13,928	15,896	10,935	5,842	2,596	1,039	409	356	55,880	35,117	90,997	47.22	15.34
(%)	(0.5)	(8.3)	(24.9)	(28.4)	(19.6)	(10.5)	(4.6)	(1.9)	(0.7)	(0.6)	(100.0)				
90歳～	24	182	741	903	616	295	122	63	16	13	2,975	2,030	5,005	47.30	14.62
(%)	(0.8)	(6.1)	(24.9)	(30.4)	(20.7)	(9.9)	(4.1)	(2.1)	(0.5)	(0.4)	(100.0)				
合計	796	15,623	45,847	51,352	37,560	22,236	10,991	5,229	2,331	2,001	193,966	116,121	310,087	48.75	16.71
(%)	(0.4)	(8.1)	(23.6)	(26.5)	(19.4)	(11.5)	(5.7)	(2.7)	(1.2)	(1.0)	(100.0)				
不明					1		1				2	19	21	63.00	12.73
(%)					(50.0)		(50.0)				(100.0)				
記載なし															
(%)															
総計	796	15,623	45,847	51,352	37,561	22,236	10,992	5,229	2,331	2,001	193,968	116,140	310,108	48.75	16.71
(%)	(0.4)	(8.1)	(23.6)	(26.5)	(19.4)	(11.5)	(5.7)	(2.7)	(1.2)	(1.0)	(100.0)				
平均	69.70	67.40	67.82	68.13	67.54	66.47	65.59	64.38	63.60	63.50	67.35	67.85	67.54		
標準偏差	12.24	12.19	12.33	12.36	12.48	12.57	12.49	12.68	12.03	12.16	12.44	12.58	12.49		

数値下のかっこ内は行方向の合計に対する%です。

(C)Japanese Society for Dialysis Therapy

2014年調査