

表 3839 透析前拡張期血圧(mmHg) 医療機関別（施設血液透析患者 透析回数週3回）

医療機関	20未満	20～	40～	60～	80～	90～	100～	120～	140～	合計	記載なし	総計	平均	標準偏差
国公立大学		3	59	149	74	51	22	2		360	54	414	74.76	16.52
(%)		(0.8)	(16.4)	(41.4)	(20.6)	(14.2)	(6.1)	(0.6)		(100.0)				
私立大学		9	164	630	338	203	94	8		1,446	122	1,568	77.33	15.10
(%)		(0.6)	(11.3)	(43.6)	(23.4)	(14.0)	(6.5)	(0.6)		(100.0)				
国立		3	43	202	97	57	21	3		426	69	495	76.81	14.76
(%)		(0.7)	(10.1)	(47.4)	(22.8)	(13.4)	(4.9)	(0.7)		(100.0)				
県市町村立	1	32	938	4,926	2,619	1,433	705	32	5	10,691	2,139	12,830	77.90	14.47
(%)	(0.0)	(0.3)	(8.8)	(46.1)	(24.5)	(13.4)	(6.6)	(0.3)	(0.0)	(100.0)				
社会保険	1	9	223	1,169	675	363	175	6	2	2,623	173	2,796	78.23	14.28
(%)	(0.0)	(0.3)	(8.5)	(44.6)	(25.7)	(13.8)	(6.7)	(0.2)	(0.1)	(100.0)				
厚生連	2	16	489	2,708	1,505	893	412	36		6,061	527	6,588	78.59	14.46
(%)	(0.0)	(0.3)	(8.1)	(44.7)	(24.8)	(14.7)	(6.8)	(0.6)		(100.0)				
その他公的	4	23	564	2,932	1,641	864	464	29	4	6,525	740	7,265	77.92	14.73
(%)	(0.1)	(0.4)	(8.6)	(44.9)	(25.1)	(13.2)	(7.1)	(0.4)	(0.1)	(100.0)				
私立総合	2	17	387	2,100	1,033	577	341	34	2	4,493	491	4,984	77.94	15.16
(%)	(0.0)	(0.4)	(8.6)	(46.7)	(23.0)	(12.8)	(7.6)	(0.8)	(0.0)	(100.0)				
私立	30	241	5,405	26,097	12,733	6,815	3,183	186	13	54,703	11,896	66,599	76.72	14.58
(%)	(0.1)	(0.4)	(9.9)	(47.7)	(23.3)	(12.5)	(5.8)	(0.3)	(0.0)	(100.0)				
私立診療所	27	259	8,085	48,712	26,125	13,692	6,725	405	31	104,061	21,371	125,432	77.86	14.18
(%)	(0.0)	(0.2)	(7.8)	(46.8)	(25.1)	(13.2)	(6.5)	(0.4)	(0.0)	(100.0)				
総計	67	612	16,357	89,625	46,840	24,948	12,142	741	57	191,389	37,582	228,971	77.56	14.39
(%)	(0.0)	(0.3)	(8.5)	(46.8)	(24.5)	(13.0)	(6.3)	(0.4)	(0.0)	(100.0)				

数値下のかっこ内は行方向の合計に対する%です。

(C)Japanese Society for Dialysis Therapy

2014年調査