

表 760 週透析回数(回/週) 透析歴(年)別 (血液透析濾過患者)

透析歴	0.5回 (1回 /2週間)	1回	2回	2.5回 (5回 /2Week)	3回	3.5回 (隔日)	4回	5回	6回	7回	合計	記載なし	総計	平均	標準偏差
2年未満		40	256		10,018		31		8		10,353	878	11,231	2.97	0.22
(%)		(0.4)	(2.5)		(96.8)		(0.3)		(0.1)		(100.0)				
2年～		17	226		15,938		58	1	1		16,241	1,232	17,473	2.99	0.15
(%)		(0.1)	(1.4)		(98.1)		(0.4)	(0.0)	(0.0)		(100.0)				
5年～		31	144		17,582		79		4		17,840	1,349	19,189	2.99	0.15
(%)		(0.2)	(0.8)		(98.6)		(0.4)		(0.0)		(100.0)				
10年～		7	53		10,116		59	1	4		10,240	707	10,947	3.00	0.13
(%)		(0.1)	(0.5)		(98.8)		(0.6)	(0.0)	(0.0)		(100.0)				
15年～		8	22		6,058		35	1	2		6,126	452	6,578	3.00	0.13
(%)		(0.1)	(0.4)		(98.9)		(0.6)	(0.0)	(0.0)		(100.0)				
20年～		1	9		3,857		21				3,888	268	4,156	3.00	0.09
(%)		(0.0)	(0.2)		(99.2)		(0.5)				(100.0)				
25年～		1	7		2,345		15	2	1		2,371	178	2,549	3.01	0.13
(%)		(0.0)	(0.3)		(98.9)		(0.6)	(0.1)	(0.0)		(100.0)				
30年～		2	1		1,367		4				1,374	112	1,486	3.00	0.10
(%)		(0.1)	(0.1)		(99.5)		(0.3)				(100.0)				
35年～		1	4		780		3				788	54	842	3.00	0.12
(%)		(0.1)	(0.5)		(99.0)		(0.4)				(100.0)				
40年～					287		3				290	23	313	3.01	0.10
(%)					(99.0)		(1.0)				(100.0)				
合計		108	722		68,348		308	5	20		69,511	5,253	74,764	2.99	0.15
(%)		(0.2)	(1.0)		(98.3)		(0.4)	(0.0)	(0.0)		(100.0)				
不明		2	3		26						31	4	35	2.77	0.56
(%)		(6.5)	(9.7)		(83.9)						(100.0)				
記載なし															
(%)															
総計		110	725		68,374		308	5	20		69,542	5,257	74,799	2.99	0.15
(%)		(0.2)	(1.0)		(98.3)		(0.4)	(0.0)	(0.0)		(100.0)				
平均		5.94	4.39		9.14		10.49	17.20	6.65		9.09	8.77	9.07		
標準偏差		7.34	5.62		8.47		8.54	11.21	7.34		8.46	8.52	8.47		

数値下のかっこ内は行方向の合計に対する%です。  
##D1132##  
(C)Japanese Society for Dialysis Therapy  
2016年調査