

表 1115 透析前CRP濃度(mg/dL) 透析歴(年)別 (血液透析濾過患者 透析回数週3回)

透析歴	0.2未満	0.2~	0.5~	1.0~	2.0~	4.0~	6.0~	8.0~	10.0~	15.0~	合計	記載なし	総計	平均	標準偏差
2年未満	5,211	1,626	795	469	296	111	32	21	24	14	8,599	1,419	10,018	0.52	1.39
(%)	(60.6)	(18.9)	(9.2)	(5.5)	(3.4)	(1.3)	(0.4)	(0.2)	(0.3)	(0.2)	(100.0)				
2年~	7,773	2,812	1,402	897	465	150	68	34	39	22	13,662	2,276	15,938	0.55	1.64
(%)	(56.9)	(20.6)	(10.3)	(6.6)	(3.4)	(1.1)	(0.5)	(0.2)	(0.3)	(0.2)	(100.0)				
5年~	8,579	2,970	1,565	1,022	582	191	91	48	40	26	15,114	2,468	17,582	0.58	1.52
(%)	(56.8)	(19.7)	(10.4)	(6.8)	(3.9)	(1.3)	(0.6)	(0.3)	(0.3)	(0.2)	(100.0)				
10年~	4,879	1,793	905	546	300	94	44	24	20	14	8,619	1,497	10,116	0.54	1.43
(%)	(56.6)	(20.8)	(10.5)	(6.3)	(3.5)	(1.1)	(0.5)	(0.3)	(0.2)	(0.2)	(100.0)				
15年~	3,134	975	480	319	154	57	22	11	15	6	5,173	885	6,058	0.49	1.28
(%)	(60.6)	(18.8)	(9.3)	(6.2)	(3.0)	(1.1)	(0.4)	(0.2)	(0.3)	(0.1)	(100.0)				
20年~	1,936	612	339	188	145	31	13	8	7	7	3,286	571	3,857	0.54	1.46
(%)	(58.9)	(18.6)	(10.3)	(5.7)	(4.4)	(0.9)	(0.4)	(0.2)	(0.2)	(0.2)	(100.0)				
25年~	1,155	409	195	125	63	23	5	6	3	1	1,985	360	2,345	0.48	1.13
(%)	(58.2)	(20.6)	(9.8)	(6.3)	(3.2)	(1.2)	(0.3)	(0.3)	(0.2)	(0.1)	(100.0)				
30年~	623	258	126	89	35	17	5	3	6	5	1,167	200	1,367	0.65	1.80
(%)	(53.4)	(22.1)	(10.8)	(7.6)	(3.0)	(1.5)	(0.4)	(0.3)	(0.5)	(0.4)	(100.0)				
35年~	320	130	78	62	45	12	8	5	6	2	668	112	780	0.90	1.98
(%)	(47.9)	(19.5)	(11.7)	(9.3)	(6.7)	(1.8)	(1.2)	(0.7)	(0.9)	(0.3)	(100.0)				
40年~	90	62	36	31	17	7	4	2		1	250	37	287	0.99	2.13
(%)	(36.0)	(24.8)	(14.4)	(12.4)	(6.8)	(2.8)	(1.6)	(0.8)		(0.4)	(100.0)				
合計	33,700	11,647	5,921	3,748	2,102	693	292	162	160	98	58,523	9,825	68,348	0.55	1.50
(%)	(57.6)	(19.9)	(10.1)	(6.4)	(3.6)	(1.2)	(0.5)	(0.3)	(0.3)	(0.2)	(100.0)				
不明	8	4	4	1	2		1				20	6	26	0.93	1.74
(%)	(40.0)	(20.0)	(20.0)	(5.0)	(10.0)		(5.0)				(100.0)				
記載なし															
(%)															
総計	33,708	11,651	5,925	3,749	2,104	693	293	162	160	98	58,543	9,831	68,374	0.55	1.50
(%)	(57.6)	(19.9)	(10.1)	(6.4)	(3.6)	(1.2)	(0.5)	(0.3)	(0.3)	(0.2)	(100.0)				
平均	9.00	9.17	9.24	9.48	9.48	9.26	9.52	9.96	9.56	9.91	9.12	9.25	9.14		
標準偏差	8.29	8.57	8.59	8.91	9.00	9.02	9.05	9.57	9.72	9.69	8.47	8.50	8.47		

数値下のかっこ内は行方向の合計に対する%です。

##D3932##

(C)Japanese Society for Dialysis Therapy

2016年調査