

表 1117 透析前CRP濃度(mg/dL) 医療機関別 (血液透析濾過患者 透析回数週3回)

医療機関	0.2未満	0.2~	0.5~	1.0~	2.0~	4.0~	6.0~	8.0~	10.0~	15.0~	合計	記載なし	総計	平均	標準偏差
国公立大学	18	8	1	5	1	2	5	1	3	3	47	7	54	3.92	6.90
(%)	(38.3)	(17.0)	(2.1)	(10.6)	(2.1)	(4.3)	(10.6)	(2.1)	(6.4)	(6.4)	(100.0)				
私立大学	100	37	19	14	15	5	7	1	2	2	202	35	237	1.13	2.51
(%)	(49.5)	(18.3)	(9.4)	(6.9)	(7.4)	(2.5)	(3.5)	(0.5)	(1.0)	(1.0)	(100.0)				
国立病院機構等	16	8	4	5	3		2				38	17	55	0.97	1.75
(%)	(42.1)	(21.1)	(10.5)	(13.2)	(7.9)		(5.3)				(100.0)				
県市町村立・国保	1,234	439	208	153	76	27	16	4	10	5	2,172	386	2,558	0.61	2.01
(%)	(56.8)	(20.2)	(9.6)	(7.0)	(3.5)	(1.2)	(0.7)	(0.2)	(0.5)	(0.2)	(100.0)				
JCHO(旧社会保険)等	228	83	44	26	15	6	1	1		1	405	121	526	0.55	1.29
(%)	(56.3)	(20.5)	(10.9)	(6.4)	(3.7)	(1.5)	(0.2)	(0.2)		(0.2)	(100.0)				
厚生連等	684	227	112	82	34	10	7	2	3	5	1,166	305	1,471	0.56	1.68
(%)	(58.7)	(19.5)	(9.6)	(7.0)	(2.9)	(0.9)	(0.6)	(0.2)	(0.3)	(0.4)	(100.0)				
その他公的	482	168	81	58	28	7	3	3	1	4	835	247	1,082	0.58	1.86
(%)	(57.7)	(20.1)	(9.7)	(6.9)	(3.4)	(0.8)	(0.4)	(0.4)	(0.1)	(0.5)	(100.0)				
私立総合	751	251	136	85	64	15	8	3	5		1,318	147	1,465	0.55	1.24
(%)	(57.0)	(19.0)	(10.3)	(6.4)	(4.9)	(1.1)	(0.6)	(0.2)	(0.4)		(100.0)				
私立	8,729	3,183	1,702	1,122	668	252	102	54	68	35	15,915	2,090	18,005	0.64	1.67
(%)	(54.8)	(20.0)	(10.7)	(7.0)	(4.2)	(1.6)	(0.6)	(0.3)	(0.4)	(0.2)	(100.0)				
私立診療所	21,466	7,247	3,618	2,199	1,200	369	142	93	68	43	36,445	6,476	42,921	0.50	1.34
(%)	(58.9)	(19.9)	(9.9)	(6.0)	(3.3)	(1.0)	(0.4)	(0.3)	(0.2)	(0.1)	(100.0)				
総計	33,708	11,651	5,925	3,749	2,104	693	293	162	160	98	58,543	9,831	68,374	0.55	1.50
(%)	(57.6)	(19.9)	(10.1)	(6.4)	(3.6)	(1.2)	(0.5)	(0.3)	(0.3)	(0.2)	(100.0)				

数値下のかっこ内は行方向の合計に対する%です。

##D3934##

(C)Japanese Society for Dialysis Therapy

2016年調査