

表 1358 透析前脈拍(拍/分) 併用の状況別 (透析患者全体)

併用の状況	40未満	40～	50～	60～	70～	80～	90～	100～	110～	120～	合計	記載なし	総計	平均	標準偏差
HD(F)単独	194	2,764	22,755	69,268	83,287	54,111	23,069	7,091	1,671	695	264,905	45,233	310,138	74.64	12.76
(%)	(0.1)	(1.0)	(8.6)	(26.1)	(31.4)	(20.4)	(8.7)	(2.7)	(0.6)	(0.3)	(100.0)				
PD単独	1	11	159	654	1,039	855	454	150	36	18	3,377	3,554	6,931	78.50	13.09
(%)	(0.0)	(0.3)	(4.7)	(19.4)	(30.8)	(25.3)	(13.4)	(4.4)	(1.1)	(0.5)	(100.0)				
HD(F)単独.PDカテあり		2	10	31	48	33	19	4	3	1	151	26	177	77.51	14.35
(%)		(1.3)	(6.6)	(20.5)	(31.8)	(21.9)	(12.6)	(2.6)	(2.0)	(0.7)	(100.0)				
PD.HD併用週1HD(F)		7	85	251	357	274	120	37	13	4	1,148	348	1,496	76.64	12.92
(%)		(0.6)	(7.4)	(21.9)	(31.1)	(23.9)	(10.5)	(3.2)	(1.1)	(0.3)	(100.0)				
PD.HD併用週2HD(F)			5	23	27	21	18	4	3		101	64	165	79.40	13.93
(%)			(5.0)	(22.8)	(26.7)	(20.8)	(17.8)	(4.0)	(3.0)		(100.0)				
PD.HD併用週3HD(F)			2	9	3	5	5	3	1		28	9	37	79.75	16.59
(%)			(7.1)	(32.1)	(10.7)	(17.9)	(17.9)	(10.7)	(3.6)		(100.0)				
PD.HD併用週4HD(F)							1				1		1	92.00	
(%)							(100.0)				(100.0)				
PD.HD併用その他			1	11	20	6	12				50	13	63	77.76	11.64
(%)			(2.0)	(22.0)	(40.0)	(12.0)	(24.0)				(100.0)				
合計	195	2,784	23,017	70,247	84,781	55,305	23,698	7,289	1,727	718	269,761	49,247	319,008	74.70	12.77
(%)	(0.1)	(1.0)	(8.5)	(26.0)	(31.4)	(20.5)	(8.8)	(2.7)	(0.6)	(0.3)	(100.0)				
不明			2	5	1	7	1				16	6	22	73.88	11.67
(%)			(12.5)	(31.3)	(6.3)	(43.8)	(6.3)				(100.0)				
記載なし												79	79		
(%)															
総計	195	2,784	23,019	70,252	84,782	55,312	23,699	7,289	1,727	718	269,777	49,332	319,109	74.70	12.77
(%)	(0.1)	(1.0)	(8.5)	(26.0)	(31.4)	(20.5)	(8.8)	(2.7)	(0.6)	(0.3)	(100.0)				

数値下のかっこ内は行方向の合計に対する%です。

##D4912##

(C)Japanese Society for Dialysis Therapy

2016年調査