

表 1600 出口部感染罹患回数(回/年) 現在施行中のPD歴(年)別 (腹膜透析単独患者)

PD歴	なし	1回	2回	3回	4回	5回	6回	7回	8回	9回以上	合計	不明	記載なし	総計
1年未満	1,001	148	23	6	3						1,181	1	87	1,269
(%)	(84.8)	(12.5)	(1.9)	(0.5)	(0.3)						(100.0)			
1年～	796	155	54	18	4						1,028		87	1,115
(%)	(77.4)	(15.1)	(5.3)	(1.8)	(0.4)						(100.0)			
2年～	925	177	51	21	6	1	1	2			1,184		86	1,270
(%)	(78.1)	(14.9)	(4.3)	(1.8)	(0.5)	(0.1)	(0.1)	(0.2)			(100.0)			
4年～	429	85	18	7	4	1	2				546		45	591
(%)	(78.6)	(15.6)	(3.3)	(1.3)	(0.7)	(0.2)	(0.4)				(100.0)			
6年～	185	26	6	2	1						220		18	238
(%)	(84.1)	(11.8)	(2.7)	(0.9)	(0.5)						(100.0)			
8年～	61	11	1	1							74		15	89
(%)	(82.4)	(14.9)	(1.4)	(1.4)							(100.0)			
10年～	85	7	1	1							94		8	102
(%)	(90.4)	(7.4)	(1.1)	(1.1)							(100.0)			
合計	3,482	609	154	56	18	2	3	2		1	4,327	1	346	4,674
(%)	(80.5)	(14.1)	(3.6)	(1.3)	(0.4)	(0.0)	(0.1)	(0.0)		(0.0)	(100.0)			
記載なし	136	28	14	3							181		2,076	2,257
(%)	(75.1)	(15.5)	(7.7)	(1.7)							(100.0)			
総計	3,618	637	168	59	18	2	3	2		1	4,508	1	2,422	6,931
(%)	(80.3)	(14.1)	(3.7)	(1.3)	(0.4)	(0.0)	(0.1)	(0.0)		(0.0)	(100.0)			
平均	2.63	2.59	2.48	2.76	2.81	3.67	4.06	3.00		1.00	2.63	0.08	2.85	2.64
標準偏差	2.68	2.26	2.32	2.47	1.87	1.53	1.00	0.24			2.61		2.76	2.62

数値下のかっこ内は行方向の合計に対する%です。

##D6623##

(C)Japanese Society for Dialysis Therapy

2016年調査